

# PrepAwayExam

PrepAwayExam

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

## Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

Try **Online Engine** before you buy

### Instant Download



After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

### 365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



### Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

<http://www.prepawayexam.com/>

High-efficient Exam Materials are the best high pass-rate Exam Dumps

**Exam :** 000-573

**Title :** IBM Tivoli Netcool/Impact V6.1  
Implementation

**Vendors :** IBM

**Version :** DEMO

NO.1 Given only command line access, where is it verified that a newly started IBM Tivoli Netcool/Impact

Server instance is registering itself as a slave or primary in a cluster?

- A. in the server.log file
- B. in the netcool.log file
- C. in the systemOut.log file
- D. using the nci\_server utility

Answer: B

NO.2 Which tool will start a policy from the command line?

- A. nci\_crypt
- B. nci\_policy
- C. nci\_trigger
- D. nci\_import

Answer: C

NO.3 In order for IBM Tivoli Netcool/Impact V6.1 to start using the ObjectServer for authentication, the server must be configured so that it can map the roles that the application exposes to groups and/or users

managed in IBM Tivoli Netcool/OMNIBus. Which file must be edited for this purpose?

- A. omnibus.conf
- B. omnibususers
- C. guiserver.setting
- D. objectserver.conf

Answer: C

NO.4 Which component of IBM WebSphere is installed with IBM Tivoli Netcool/Impact V6.1?

- A. WebSphere MQ
- B. WebSphere Portal Server
- C. WebSphere Process Server
- D. Embedded WebSphere Application Server

Answer: D

NO.5 What is the purpose of a project in IBM Tivoli Netcool/Impact V6.1?

- A. It allows for creating subsets of the elements stored in the global repository.
- B. It allows for creating subsets of the elements stored in the Impact repository.
- C. It allows for creating subsets of the elements stored across cluster members.

D. It allows for creating supersets of the elements stored in the global repository.

Answer: A

NO.6 What must be done to receive an IBM Tivoli Netcool/OMNIBus event when a policy run raises any unknown exception?

A. use the action function `exceptionnameO` and add policy code to insert the event between the brackets

B. use `handle exceptionnameO` in the policy and add policy code to insert the event between the brackets

C. create an `ExceptionHandlerPolicy` that inserts the event and define this in the `Policytoggler` configuration

D. configure the Self-Monitoring service to log exceptions into the `ObjectServer` defined in the service configuration

Answer: C

NO.7 What is the minimum memory requirement for installing a Tivoli Integrated Portal profile and an IBM

Tivoli Netcool/Impact profile running on the same physical machine?

A. 2 GB

B. 4 GB

C. 6 GB

D. 8 GB

Answer: C

NO.8 Which command line function should be executed prior to applying a product fix or upgrading the IBM

Tivoli Netcool/Impact Server as best practice.?

A. `nci_crypt`

B. `nci_policy`

C. `nci_trigger`

D. `nci_export`

Answer: D

NO.9 Which utility edits the installed GUI server deployment and maps the roles to the specified users?

A. `roles.[bat|sh]`

- B. user-roles.[bat|sh]
- C. update-impact-roles.[bat|sh]
- D. impact-security-roles.[bat|sh]

Answer: C

NO.10 On a server with only command line access, the server in an IBM Tivoli Netcool/Impact cluster is identified as acting as a primary server by using which command line utility?

- A. nci\_server
- B. nci\_trigger
- C. nci\_get\_primary
- D. nci\_findendpoint

Answer: C

NO.11 What is true about the LDAP DSA?

- A. It does not support data saved in UTF-8 format.
- B. It does not retrieve information from LDAPV2/V3.
- C. It allows IBM Tivoli Netcool/Impact to add, modify, or delete information managed by the LDAP server.
- D. It does not allow IBM Tivoli Netcool/Impact to add, modify, or delete information managed by the LDAP server.

Answer: D

NO.12 Which functional step should be completed when designing an IBM Tivoli Netcool/Impact V6.1 solution?

- A. write an enrichment policy
- B. develop Netcool/Impact startup scripts
- C. test high availability and fail-over scenarios
- D. determine methods of achieving customer requirements

Answer: D

NO.13 How is the name of the IBM Tivoli Netcool/Impact Server Instance on the console identified?

- A. check the IBM Installer utility list.sh to show the Impact Server Instance Names that have been set up
- B. check the TIPProfile/logs/server1 directory - the SystemOutlog holds the Impact Service

Instance

name

C. use the nci\_server command line utility to show the Impact Server Instance Names that have been set

up

D. check the impact/etc directory - all Impact Server Instance-related files use the Instance Name in the

beginning of every file name

Answer: D

NO.14 In which folder are the IBM Tivoli Netcool/Impact V6.1 service logs stored?

A. \$NCHOME/logs

B. \$IMPACT\_HOME/log

C. \$IMPACT\_HOME/logs

D. \$IMPACT\_HOME/services/logs

Answer: C

NO.15 A new Impact Server will be installed using the console mode of the installer application. Which statement is true?

A. All default ports must be available.

B. The installer will not check if the required ports are available.

C. A starting point of ports can be selected if the default ports are not available.

D. The installer will adapt the required ports if some are tested as in use during the installation.

Answer: C

NO.16 What must occur before a data type can be defined?

A. Data Type service must be started

B. Policy Activator service is activated

C. Data Source definition is configured

D. ObjectServer Event Reader is activated

Answer: C

NO.17 Which step is required to design an IBM Tivoli Netcool/Impact V6.1 solution from stakeholder requirements?

A. Determine if the correct Java version is installed.

- B. Create an architecture and a raw functional design of policies.
- C. Determine if enough disk space is provided on the installation servers.
- D. Interview the operational staff to determine their most efficient way to resolve a problem

Answer: B

NO.18 An IBM Tivoli Netcool/Impact V6.1 system is configured to perform event enrichment by retrieving

ObjectServer events which have an empty Location field. Which Service Log can be used to verify that

Netcool/Impact is selecting events from the ObjectServer based upon that condition?

- A. the PolicyLogger service
- B. the PolicyActivator service
- C. the OMNIBusEventReader service
- D. the OMNIBusEventListener service

Answer: C

NO.19 Which three IBM Tivoli Netcool/Impact roles in Tivoli Integrated Portal can be used to control users

access to navigation pages in the GUI and to permit users to unlock their own files?

- A. impactSuperUser, impactFullAccessUser, and impactOpViewUser
- B. impactAdminUser, impactReadWriteUser, and impactOpViewUser
- C. impactAdminUser, impactFullAccessUser, and impactOpViewUser
- D. impactAdminUser, impactFullAccessUser, and impactReadOnlyUser

Answer: C

NO.20 What are two ways Data Source Adapters are used in IBM Tivoli Netcool/Impact V6.1? (Choose two.)

- A. to monitor Netcool/Impact services
- B. to communicate with external data sources
- C. to extend the capabilities of Netcool/Impact
- D. to apply product fixes to the Netcool/Impact Server
- E. to start the policy logging service in Netcool/Impact

Answer: B,C